






SPEAKER OUTPUTS



HP OUTPUT with GND Feedback



6

5

4

3

2

1


D

C

B

A

Audio Interface 2/3 Select



TABLES FOR REFERENCE

	Short	Open	
J9-B	8R + 10uH	No Load	LNK9 YELLOW
PCB Ref:	SPKOUTL_LOAD		Short
	Short	Open	
J3-B	8R + 10uH	No Load	LNK3 YELLOW
PCB Ref:	SPKOUTR_LOAD		Short
	Short	Open	
J5-B	No resistor in circuit	Resistor in circuit	LNK5 YELLOW
PCB Ref:	HPOUT1FB_RES		Short
	Short 1-2	Short 2-3	
J7-B	Pre Resistor	Post Resistor	LNK7 YELLOW
PCB Ref:	HPOUT1FB_SEL		1-2
	Short 1-2	Short 2-3	
J1-B	LDO 1 Enabled	LDO 1 Disabled	LNK1 YELLOW
PCB Ref:	LDO1EN		1-2
	Short 1-2	Short 2-3	
J2-B	LDO 2 Enabled	LDO 2 Disabled	LNK2 YELLOW
PCB Ref:	LDO2EN		1-2
	Short	Open	
J4-B	VBAT Connected	VBAT Disconnected	LNK4 RED
PCB Ref:	SPKVDD_VBAT_SHORT		Short
	Short	Open	
J6-B	DVLDO Connected	DVLDO Disconnected	LNK6 RED
PCB Ref:	CPVDD_DVLDO_SHORT		Short